

Cell Line Authentication Report

Institution: Cobioer Biosciences CO.,LTD Vendor: Cobioer Biosciences CO.,LTD

Customer: Taohua Jiang

Attention: Taohua Jiang

Tel: 025-86880024

Tel: 025-86880024

Email: jiangtaohua@cobioer.com

Email: jiangtaohua@cobioer.com

1. Sample information:

Sample No.: “OCI-AML-3”

2. Methods:

- Genomic DNA was extracted from the cell pellets provided by the customer.
- Samples, together with positive and negative control were amplified using GenePrint System (Promega).
- Amplified products were processed using the ABI3730xl Genetic Analyzer.
- Data was analyzed by GeneMapper4.0 software and then compared with the ATCC, DSMZ or JCRB databases for reference matching.

3. Results:

STR profile

Marker	Sample				Database		
	Allele1	Allele2	Allele3	Allele4	Allele1	Allele2	Allele3
D5S818	11	13			11	13	
D13S317	8	13			8	13	
D7S820	9	10			9	10	
D16S539	11	13			11	13	
VWA	17	18			17	18	
TH01	8	10			8	10	
AMEL	X	X			X	X	
TPOX	8	11			8	11	
CSF1PO	11	12			11	12	
D12S391	20	21					
FGA	22	22					
D2S1338	17	21					
D21S11	29	30					
D18S51	12	18					
D8S1179	10	12					
D3S1358	16	16					
D6S1043	11	13					
PENTAE	11	13					
D19S433	15	17					
PENTAD	12	13					
D1S1656	15	17.3					

4. Conclusion

- A. The STR results show that there are no four alleles on the main nine locus, there is certainly no cross contamination of human cells in this cell line.
- B. The match percent between the sample and the STR database profile is **100%**, the cell name is **OCI-AML-3**.

Accession	Name	N° Markers	Score	Ame	CSF1PO	D2S133	D3S135	D5S81	D7S82	D8S117	D13S317	D16S53	D18S51	D19S43	D21S11	FGA	Penta D	Penta E	TH01	TPOX	vWA
NA	Query	NA	NA	x,x	11,12			11,13	9,10		8,13	11,13							8,10	8,11	17,18
CVCL_1844 Be st	OCI-AML-3	8	100.0 0%	X	11,12	17,21	16	11,13	9,10	10,12	8,13	11,13	12,18	15,17	29,30	22	12,13	11,13	8,10	8,11	17,18

Note:

1. The STR profile data was compared with the ATCC, DSMZ or JCRB databases, if the cell line is not included in the three institutions, the results are not correct. More information you provided would be useful for Cell Line Authentication.
2. Based on the ANSI Standard, cell lines with 100% match are considered to be “identical”; cell lines with $\geq 80\%$ but less than 100% match are considered to be “related”.

Operator: Xiaomei Liu, Qin Wang

Leader: Wei Zhou

Date: 2025-03-06